INSTRUMENTS AND EXPERIMENTAL TECHNIQUES

Volume 25, Numbers 1-6, 1982

(A translation of Pribory i Tekhnika Éksperimenta)

U31

Volume 25, Number 1, Part 1 January-February, 1982

| | Engl. | Russ. |
|---|---|---|
| Input/Output Software for Automatic Experimental Equipment Using Small Computers and CAMAC Apparatus (Survey) — V. M. Vukolikov, A. N. Vystavkin, A. Ya. Oleinikov, E. V. Pankrats, and L. Z. Pososhenko | 1 | 7 |
| Control of Etching Processes in a Low-Temperature Gas-Discharge Plasma (Survey) — B. S. Danilin, V. Yu. Kireev, V. A. Kaplin, and É. M. Vrublevskii | 7 | 13 |
| NUCLEAR EXPERIMENTAL TECHNIQUES | | |
| Magnetic System of Betatron with Auxiliary Magnetization — V. V. Vasil'ev and É. G. Furman | 26 | 30 |
| Cyclic Induction Ion Accelerator — M. S. Khvastunov | 29 | 33 |
| Passive Resonator for the Acceleration of the Electron Beam of a Traveling-Wave Linear Accelerator — V. M. Grizhko, A. A. Rakityanskii, B. A. Terekhov, G. L. Fursov, and A. M. Shenderovich | 32 | 36 |
| System for Shaping Proton Beams of Micron Size — S. N. Andrianov, A. D. Dymnikov, and G. M. Osetinskii | 36 | 39 |
| Liquid Hydrogen Target for Work in Intense Particle Fluxes — A. V. Alekseev, V. N. Kryshkin, Yu. M. Mel'nik, A. P. Orlov, L. K. Turchanovich, and A. E. Yakutin | 38 | 41 |
| Expanding Device of a Track-Sensitive Deuterium Target — A. V. Pozharskii and E. P. Ustenko | 41 | 43 |
| Measurement of the Parameters of an Ion Beam at the Target of a Neutron Generator — E. I. Gerasimov and A. I. Solnyshkov | 44 | 46 |
| Slowing Down of an Electron Beam in a Recuperator of the Spherical Type — A. Yu. Volkov, S. K. Dimitrov, and A. V. Makhin | 47 | 48 |
| Spectrometric Applications of an Ionization-Type Drift Chamber — V. V. Dmitrenko, A. S. Romanyuk, Z. M. Uteshev, and V. K. Chernyatin | 50 | 51 |
| Stabilization System for Neutron-Spectrometer Gain — A. V. Bukharov, S. S. Verbitskii, E. N. Zhuravlev, A. M. Lapik, V. S. Ratner, M. A. Tikanov, and V. P. Shchitov | 53 | 53 |
| Analysis of Transuranium Radionuclide α Spectra Obtained from Thick Uniform Sources — E. A. Vznuzdaev and V. I. Orlov | 57 | 57 |
| Mössbauer Spectrometer with Reversing Address Register in an AI-4096-3M Analyzer — E. S. Arkhontov, O. A. Bayukov, V. P. Ikonnikov, M. I. Petrov, and N. I. Chernov | 60 | 59 |
| Cyclic Operation of a Streamer Chamber — N. A. Lapauri, V. A. Mikhailov, and Z. T. Tarkashvili | 63 | 62 |
| Electric Fields and Wire Stability in a Cylindrical Proportional Chamber — B. I. Khazin | 66 | 64 |
| Multichannel Detectors in a Monitoring System for a Focusing Two-Channel Spectrometer — Yu. N. Vrazhnov and A. S. Dyshkant | 69 | 67 |
| Selective Analysis of Signals with Recording of Spectra Distributed over the Memory of a Multichannel Analyzer — M. V. Sazhin and V. P. Dombrovskii | 74 | 71 |
| Operating Characteristics of Semiconductor Nuclear-Radiation Detectors at Low Temperatures — N. P. Afanas'eva, V. K. Eremin, N. B. Strokan, and A. Sh. Shamagdiev | 76 | 73 |

Use of a Laser to Adjust a System of Detectors of the Products of Nuclear Reactions — V. I. Grantsev, I. P. Dryapachenko, V. A. Kornilov, O. F. Nemets, B. A. Rudenko, M. V. Sokolov, B. G. Struzhko, A. V. Gnatovskii, and V. N. Boichuk . . . . . 80 76

EXPERIMENTAL APPLICATIONS OF COMPUTER TECHNOLOGY

Program-Controlled Synchronization Device for a Complex Physics Experiment — É. M. Gleibman, I. A. Golutvin, and V. V. Tarasov. . . . 83 79

Device for Interfacing Digital Instruments with the Élektronika BZ-21 Calculator — S. V. Denbovetski, A. N. Shkuro, S. M. Kokoshkin, and V. A. Svyatnenko. . . . . 85 81

Communications Unit for the F733 Analog-to-Digital Converter and the CAMAC Crate Dataway — B. B. Borisov, V. F. Kiselev, and F. V. Smirnov . . . . . 89 84

Interface for Output of Digital Information to the TR-1894 Thermal Printer from the 15VCM-5 and "Élektronika DZ-28" Computers — N. P. Ovchinnikov and É. A. Chernoritskii . . . . . 91 87

Device for Outputting Data from a 15VSM-5 Computer to a Plotter — V. A. Dobrynin and I. A. Shikoryak. . . . . 93 88

Data Exchange by Means of a Serial Intercrate Link — A. N. Sinaev and I. N. Churin. . . . . 94 89

A Multichannel Charge Digitizer for Hodoscopic Recording Systems — S. G. Basiladze and L. Lokhonyai. . . . . 98 92

ELECTRONICS AND RADIO ENGINEERING

A Discharge-Quenching Circuit for Counters — A. S. Karasik . . . . . 102 96

Use of Charge Coupling Devices in Optical Information Processing Systems — V. A. Arutyunov, N. A. Esepkina, B. A. Kotov, Yu. A. Kotov, A. P. Lavrov, and I. I. Saenko. . . . . 104 98

Hybrid Integrated Circuit for Charge-to-Time Interval Conversion — S. G. Basiladze, Yu. Yu. Dotsenko, P. K. Man'yakov, and S. N. Fedorchenko . . . . . 109 102

Time Interval-Voltage Converter — A. T. Matchak. . . . . 112 105

Voltage Ratio Meter — V. E. Badulin, V. P. Kalinichenko, and A. P. Sergeev . . . . . 114 107

Universal Analog—Digital Converter — Ya. I. Kapitskin and N. M. Danil'chuk. . . . . 115 108

High-Accuracy Analog—Digital Converter with Analog Input Signal Convolution — A. I. Diyanov, I. N. Mazov, Yu. V. Polubabkin, and V. P. Safronov. . . . . 118 110

Integrated Circuit Analog—Digital Converter — A. A. Golovanov. . . . . 121 113

Ten-Bit Successive Approximation Analog-to-Digital Converter Implemented Using Integrated Circuits — A. I. Antonevich, V. V. Butskii, and A. M. Sarzhevskii . . . . . 124 115

Low-Power Analog-to-Digital Converter with Enhanced Speed — E. A. Kolombet and B. K. Fedorov. . . . . 126 117

Stand for Real-Time Control of Dynamic Error of Fast Analog-to-Digital Converters Using the Stroboscopic Effect — A. Ya. Korsunskii and É. V. Sidorovskii . . . . . 128 120

Functional Converter Using Digital-to-Analog Conversion Microcircuits — B. I. Kudlak, V. A. Sitovenko, and Yu. N. Turchaninov . . . . . 132 124

Code-to-Voltage Converter Based on Microcircuits — V. I. Sidel'nikov . . . 134 125

APPENDIX . . . . . 137

## Volume 25, Number 1, Part 2 January-February, 1982

ELECTRONICS AND RADIO ENGINEERING

System for Measuring Coordinated Time — G. S. Dragun, V. Ya. Bol'shakov, and Yu. A. Fedorov . . . . . 143 127

Stable Current Generator for Electron-Beam Deflection — V. N. V'yukhin and E. A. Kovalev . . . . . 147 130

Operational Amplifier with Extended Range of Input Voltages and Small Input Currents — V. Yu. Romanov and F. I. Panachev . . . . . 149 132

| | Engl. | Russ. |
|---|---|---|
| **Broadband Current Amplifier — V. I. Antonov and S. V. Kholondyrev** | 151 | 133 |
| High-Voltage dc Amplifier — L. S. Ganopol'skii and L. V. Kamenev | 152 | 134 |
| Instrumentation Amplifier dc Integrators with Galvanic Input Decoupling — O. Sh. Pkhakadze | 154 | 135 |
| Frequency Comparator — A. P. Pecherskikh | 157 | 138 |
| Synchronous FM Detector — A. V. Mironov | 158 | 140 |
| A Differential Amplitude Discriminator — V. I. Antonov and S. V. Kholondyrev | 160 | 141 |
| Automatic Range Selection Circuit for Measuring the Amplitude of Single Pulses — G. N. Abramov and O. V. Podymov | 161 | 142 |
| SNOP-1 High-Power Nanosecond Pulse Generator — R. B. Baksht, A. F. Korostelev, N. K. Kapishnikov, A. V. Luchinskii, V. M. Muratov, and V. K. Petin | 163 | 144 |
| Automatic Charging of Storage Capacitors — I. I. Kravtsevich and A. V. Smirnov | 166 | 146 |
| Pulse Shaper for Timing Photomultiplier Pulses — D. Yu. Akimov and S. I. Merzlyakov | 167 | 148 |
| Six-Anode High-Power Switching Device — O. G. Bespalov, A. S. Knyazyatov, A. I. Nastyukha, P. A. Smirnov, and A. N. Udovenko | 169 | 149 |
| High-Power High-Frequency Switching — V. I. Voronov, A. E. Kirilov, A. N. Soldatov, V. F. Fedorov, and N. A. Yudin | 171 | 151 |
| High-Stability Gunn-Diode Oscillator for 3-cm Wavelengths — K. I. Andronik and V. M. Pudalov | 173 | 152 |
| **Regulated** Power Supply for Low-Noise Xenon **Arc Lamps** — V. I. Donetskikh | 176 | 156 |
| DC Voltage Stabilizers with a Controllable MDS Power Transistor — V. P. D'yakonov and V. M. Dolin | 178 | 158 |
| GENERAL EXPERIMENTAL TECHNIQUES | | |
| The Scope for Using Standard Alloys for Mass-Spectrometer Analyzer Chambers — G. S. Anufriev, B. S. Boltenkov, B. A. Mamyrin, L. V. Usacheva, and I. N. Kapitonov | 181 | 160 |
| Liquid Analysis in a Mass Spectrometer with a Spark Source — K. G. Ordzhonikidze, D. S. Nabichvrishvili, Yu. P. Osei, and A. A. Lysyakov | 185 | 164 |
| High-Current Nanosecond Electron Beams of Energy Up to 0.6 MeV — N. I. Kalinovskaya, V. V. Kul'gavchuk, S. I. Lobov, N. G. Pavlovskaya, and S. L. El'yash | 188 | 166 |
| Photon-Counting Use of an FÉU-71 for Research on Dynamic Processes in the Nanosecond Range — Yu. M. Aleksandrov, V. N. Makhov, T. I. Syreishchikova, and M. N. Yakimenko | 190 | 168 |
| Diminution of the Mean Dark Current of a Photomultiplier during Operation with Periodic Signals — V. I. Kulibaba | 192 | 170 |
| Diode Arrays for Detecting Photoelectrons — V. D. Alekseev, V. G. Debur, V. P. Zabrodskaya, and V. S. Rylov | 195 | 172 |
| Secondary Electron Spectrometer with Angular Resolution for Studying Single-Crystal Surfaces — I. I. Pronin, M. V. Gomoyunova, D. P. Bernatskii, and S. L. Zaslavskii | 198 | 175 |
| Registration System for a Secondary Electron Spectrometer — D. P. Bernatskii, S. L. Zaslavskii, I. I. Pronin, and M. V. Gomoyunova | 202 | 178 |
| Local Analysis of the Element Composition from the Characteristic X-Rays Excited by a Proton Beam — S. N. Abramovich, V. P. Gimanov, D. A. Goganov, B. Ya. Guzhovskii, A. P. Solodovnikov, and V. V. Chulkov | 205 | 181 |
| A Generator for the Electrooptical Synchronization of the Modes of a Laser — V. I. Annenkov, Yu. D. Bogunenko, N. A. Pershin, and Yu. P. Shcherbak | 208 | 184 |
| A Semiconductor Simulator of a Solid-State Laser Radiating a Pulse Packet — M. N. Zargar'yants, P. V. Dernovskii, and A. I. Ignatov | 210 | 185 |
| Sensitivities of **UF-VR** and UFSh-4 Photographic Films in the 1.35-17.4-keV Quantum Energy Range — A. L. Zapysov, I. M. Izraelev, V. A. Podgornov, and N. A. Khavronin | 213 | 188 |
| Ring Galvanomagnetic Transducers of Small Magnetic Inductions — I. P. Anan'ev | 215 | 190 |

A Method of Calculating the Magnetic Field from the Configuration of the Poles of the Magnet and of Establishing the Field Configuration from the Results of Magnetic Measurements — A. E. Bol'shakov and L. L. Gol'din . . . . . 219 192
A Capacitance Transducer for Measuring the Magnetostriction of Small Specimens at 4.2°K — Z. A. Kazei, M. V. Levanidov, and V. I. Sokolov . . . . . 223 196
An Optimized Superconducting Quantum Interferometer with Radiofrequency Bias in the 25-30-MHz Range — V. K. Ignat'ev and I. Ya. Krasnopolin . . . . . 225 198
A High-Pressure Container for Use at Low Temperatures in Strong Magnetic Fields — P. I. Polyakov, V. V. Permyakov, V. G. Synkov, and I. G. Gavrish . . . . . 229 201
Measuring Small Hypersonic Attenuations in Crystals — E. M. Ganapol'skii, A. P. Korolyuk, and V. V. Tarakanov . . . . . 231 202
Setup for Measuring Parameters of Piezoelectric Crystals in the 4.2-850°K Temperature Range — I. A. Dan'kov, G. S. Pado, and V. G. Skryabin . . . . . 234 205
Setup for Determining the Equation of State of Alkali Metals at High Temperatures — V. F. Kozhevnikov and P. N. Ermilov . . . . . 238 209
Upgraded Soft X-Ray Detector — Yu. A. Tsirlin, L. B. Zagarii, L. S. Zubenko, A. L. Lifits, and E. A. Bugai . . . . . 241 212
Instrument for Measuring Current-Carrier Density Distributions in Semiconductors — A. M. Vitkus, A. K. Laurinavichyus, Yu. K. Pozhela, and P.-A. P. Yashinskas . . . . . 243 214
Recording of Current–Voltage Characteristics of Semiconductor Structures in Semilogarithmic Scale — N. G. Filonov . . . . . 247 216

LABORATORY TECHNIQUES

Thin Lithium Metal Targets — S. N. Abramovich, B. Ya. Guzhovskii, and G. N. Sleptsov . . . . . 249 218
An Upgraded IKS-29 Infrared Spectrophotometer — S. V. Tikhomirov . . . . . 252 220
Measurement of Electron Time-of-Flight in a Photoreceiver — É. I. Asinovskii, V. V. Markovets, I. S. Samoilov, and A. M. Ul'yanov . . . . . 253 222
Circuit for Dynamically Driving Seven-Segment Display Devices — Ya. L. Gesin and G. A. Korotkevich . . . . . 255 223
Temperature-Compensated Low-Resistance Shunt — V. A. Marapulets, I. A. Kulik, and V. I. Bormotova . . . . . 257 225
Magnetic Contact Device — R. S. Nakhmanson and S. Z. Rotman . . . . . 259 227
Injection of Gas into High-Pressure Devices — L. G. Vintizenko, V. S. Tolkachev, and P. M. Shchanin . . . . . 260 228
Separable Glass–Metal Junction for Use under Pressure — O. A. Nabokov . . . 261 229
Electron-Beam Vaporizer for Ultrahigh Vacuum Systems — O. I. Kapusta and V. G. Nazin . . . . . 263 230
Fast Zeolyte Vacuum Pump — I. N. Vishnevskii, V. A. Zheltonozhskii, V. P. Svyato, and V. V. Trishin . . . . . 265 232
Method for Increasing Electric Conductivity of Vacuum Coverings Made from Refractory Materials — A. V. Kondratov, A. I. Postnikov, and A. A. Potapenko . . . . . 266 233
A Differential Photodetector — E. V. Blinov and P. P. Kuleshov . . . . . 268 234
A High-Speed Photoreceiver with a Field-Effect Transistor Photodetector — D. F. Zaitsev, G. F. Zverev, V. A. Radchenko, and Ya. L. Khlyavich . . . . . 269 235
Optoelectronic Image Converter Based on an Integrated Photodetection Matrix MF-6 — M. A. Gradshtein and V. M. Komarov . . . 271 237
Instrument for Recording the Angular Position of a Rotating Shaft — K. B. Petrushenko . . . . . 273 239
Automatic Temperature Regulator with Output Current Pulses with Adjustible Duty Cycle — V. G. Skryabin, G. S. Pado, and I. A. Dan'kov . . . . . 274 240
Adjustible Temperature Stabilizer — K. P. Abdurakhmanov, B. A. Kotov, S. G. Tadzhin-Aglaeva, and T. A. Umarov . . . . . 276 241
Performance of Semiconductor Photodiodes at Cryogenic Temperatures — V. V. Baraboshkin and V. M. Tsygankov . . . . . 277 242

Device for Generating Monaxial Pressure in an Electron Paramagnetic Resonance Generator at Liquid Helium Temperatures — A. A. Bugai and V. E. Kustov . . . . . 279 244
Simple Cryogenic Current Leads — S. P. Gorbachev and V. K. Matyushchenkov . . . . . 280 245

Volume 25, Number 2, Part 1 March-April, 1982

Microchannel Plates in Experimental Physics (Review) — V. D. Dmitriev, S. M. Luk'yanov, Yu. É. Penionzhkevich, and D. K. Sattarov..... 283 7

EXPERIMENTAL NUCLEAR TECHNIQUES

Electron Gun for Producing Two Intense-Current Beams — A. R. Borisov, A. G. Zherlitsyn, G. V. Mel'nikov, and Yu. G. Shtein..... 295 19
High-Pressure Gas Target for Experiments with Gaseous Tritium — V. M. Bystritskii, V. P. Dzhelepov, V. G. Zinov, V. M. Romanov, V. I. Satarov, V. A. Stolupin, and Sh. G. Shamsutdinov..... 298 21
Acoustical Technique for the Orientation of Single-Crystal Targets — F. P. Denisov, V. N. Zabaev, S. I. Il'in, B. N. Kalinin, V. M. Kuznetsov, A. P. Potylitsyn, and V. K. Tomchakov..... 300 23
Efficient Fast-Neutron Registration System in Muon Experiments — V. G. Zinov, V. S. Nadezhdin, A. I. Rudenko, L. N. Somov, and V. V. Fil'chenkov..... 303 26
Electron-Optical Auger Spectrometer System with a Cylindrical Mirror — A. I. Volkov, E. V. Krasnenkov, N. E. Menabde, I. M. Ovchinnikov, K. F. Potapov, and N. M. Sudak..... 308 30
Influence of the Anode-Wire Thickness and the Working-Gas Pressure on the Characteristics of the Self-Quenching Operating Mode of a Wire Chamber — G. D. Alekseev and D. M. Khazins..... 311 33
Avalanche Position-Sensitive Detector with Resistive Cathode — A. G. Donichkin and O. E. Shigaev..... 315 36
Background of Gas-Filled Counters with Silicon Cathodes — A. V. Fisenko, L. L. Kashkarov, and A. A. Pomanskii..... 318 38
Silicon–Lithium Detectors for Charged-Particle Spectrometry over a Wide Range of Energies — B. B. Baizakov, B. N. Zaveryukhin, A. Sh. Iskanderov, R. A. Muminov, and A. Ya. Yafasov..... 321 41
ΔE Detectors Based on Epitaxial Silicon Structures — I. I. Evseev, V. V. Kyrachko, and A. A. Didenko..... 324 43
Use of a High-Resolution Semiconductor Detector in Combination with the Black-Absorber Method to Determine the Probability of Resonance Emission of γ Rays — V. A. Varnek and V. I. Volegzhanii..... 327 45
Erasing of a Latent Image in a Photoemulsion by a Pulsed Electric Field — B. A. Dolgoshein, A. N. Lebedev, and S. V. Somov..... 329 48
Radiometric Errors in Radioactivity Determination — V. Z. Khait..... 332 50

EXPERIMENTAL APPLICATIONS OF COMPUTER TECHNOLOGY

Device for Image Input to an ES Computer — N. A. Kryukova, L. T. Kunitsyna, and A. A. Stoyanovskii..... 335 53
Charge and Amplitude Digitizers for Multichannel Spectrometer Systems — S. G. Basiladze, V. A. Budilov, and P. K. Man'yakov..... 339 47
Program Device for Controlling a Multichannel Switch — Yu. M. Bonkarev..... 344 62

ELECTRONICS AND RADIO ENGINEERING
Methods for Improving Characteristics of Analog-to-Pulse Computing Devices — V. D. Maisyukov and A. P. Shevchenko..... 346 64
Digital Device for Generating Parabolic Voltages for an Electron Beam Tube Aberration Correction System — O. L. Kulyas and A. A. Kamalyagin..... 352 69
Random Event Simulator with Selectable Probability Characteristics — V. I. Popova and S. V. Tyurin..... 355 72
Signal Delay Regulator in Electronic Circuits — Yu. D. Kotov and O. N. Romanov..... 357 74
Multibit Binary to Binary-Coded-Decimal Decoder — A. I. Sklyarenko, D. G. Popov, A. N. Strenin, and V. I. Artsev..... 360 76
Bipolar Logarithmic Current-to-Voltage Converter — V. F. Alekseev, N. I. Gavrilin, G. N. Demidova, R. M. Nazargulov, M. N. Omel'yanenko, and A. I. Solomatova..... 362 78
3 pA-0.3 mA Current—Frequency Converter — V. B. Gusev and A. I. Shaks..... 364 80
Nanosecond Time-to-Amplitude Converter with Preliminary Time Selection — A. N. Semenikhin, S. V. Svirida, and E. B. Klopikov..... 366 82
Digital Frequency Divider with Integer Plus One Half Division Coefficient — E. M. Khaikin and S. G. Martynov..... 368 83
Digital Synchronous Detection System — F. F. Papp, N. I. Romanyuk, E. É. Kontrosh, and O. B. Shpenik..... 370 85
Linear Amplitude Selector — M. V. Melen'..... 373 88
Precision Generator for Harmonic Oscillations — I. M. Fedorov..... 376 90
Pulse Generator Using Single-Junction Transistors — I. I. Obod..... 378 92
Pulse Generator Using Field-Effect and Bipolar Transistors — I. I. Obod and I. V. Kutovoi..... 379 93
Tunable Transistor Microwave Generator — S. V. Orlov, O. V. Ryzhko, and V. N. Ivanov..... 381 95
Voltage Generator for Investigating Metal—Dielectric—Semiconductor Structures — O. A. Orlov..... 383 96

Volume 25, Number 2, Part 2 March-April, 1982

ELECTRONICS AND RADIO ENGINEERING
High-Voltage Ramp Generator — V. A. Bondar' . . . . . 385 98
Inductive Energy Storage Element with a Final Thyristor Current Breaker — A. K. Kozlov, S. V. Korotkov, I. I. Rodichev, and N. S. Yakovchuk . . . . . 386 99
Pulse Modulator — V. L. Auslender, R. M. Lapik, N. D. Taralenko, and A. A. Tubik . . . . . 391 103
Nanosecond Pulse Generator — A. I. Fendrikov . . . . . 393 106
Generator of Pulses with Program-Controlled Delay — L. M. Smirnov, Ya. A. Kotlyar, V. I. Pepel'nyuk and A. L. Torchin . . . . . 395 107
Wide-Band Photomultiplier Current Amplifier — V. M. Zalkind, I. S. Sushko, and V. P. Tarasenko . . . . . 398 110
Differential Amplifier with Automatic Null Drift Correction — G. Sh. Bikmurzin and S. V. Shukov . . . . . 399 111
Automatic Subrange Switching in an Analog Ratemeter — R. A. Markova and L. M. Paska . . . . . 401 113
Stabilizing and Retuning System for the Frequency of a Backward-Wave Tube — Ch. O. Kadzhar, S. A. Musaev, and É. Yu. Salaev . . . . . 403 115
Superconducting Wide-Range Tuned System — F. F. Mende, O. E. Rudnev, and V. D. Sinenko . . . . . 406 118
Electromagnetic Current Stabilization in the ER-9 ESR Spectrometer — I. M. Batyaev . . . . . 408 120
Stabilized Current Source Providing Up to 100 A for Joint Use with a Multichannel Analyzer — S. G. Semenchinskii . . . . . 410 121

Stabilized Current Source with dc Decoupling at 30 kV
— V. S. Belkin and A. S. Donin . . . . . 413 124
Economical Stabilized dc Source — V. I. Sakhno
and V. G. Tsyvinskii . . . . . 416 127

GENERAL EXPERIMENTAL TECHNIQUES
High-Vacuum Units with Cryogenic and Magnetic Discharge Pumps
— M. P. Larin . . . . . 420 130
System for Studying Low-Temperature Adsorption of Air Components
— A. M. Arkharov, I. A. Kalinnikova, V. V. Serpinskii,
N. A. Fedoseeva, and A. A. Zherdev . . . . . 424 134
Efficient Thermoemission Electron Source with Lanthanum Hexaboride Emitter
— D. V. Iremashvili, V. V. Sukhomlinov, V. A. Ksenofontov,
V. G. Chanturidze, V. E. Petrakov, and G. A. Avatinyan . . . . . 427 137
Instrument for Measuring the Position of a Beam of Charged Particles
— I. M. Bolotin, Yu. A. Bystrov, E. N. Zagranichnyi, G. L. Mamaev,
Yu. F. Radchenko, and A. M. Shcherbakov . . . . . 430 139
High-Voltage Laser Spark Discharger — P. I. Myshalov, B. A. Bushuk,
S. A. Tikhomirov, and G. B. Tolstorozhev . . . . . 434 142
Time Resolution of the FÉU-36 Photomultiplier
— E. B. Klopikov, S. V. Svirida, and A. N. Semenikhin . . . . . 436 144
Time Characteristics of VÉU-6 Channel Multipliers
— R. Z. Bakhtizin and Yu. M. Yumaguzin . . . . . 437 145
Performance of Direct-Channel Microchannel Plates in a Herringbone
Configuration — O. M. Sorokin . . . . . 439 146
Low-Background Apparatus for Measuring $^3$He, $^4$He, T, and $H_2$
— B. A. Mamyrin, Yu. A. Akulov, L. V. Khabarin, and V. S. Yudenich 444 151
Collector in an Ion Receiver for Precise Isotope Measurements
— E. F. Doil'nitsyn, I. Zyuzin, and A. P. Pertseva . . . . . 446 153
Ion Source in the MKh-1303 Mass Spectrometer for High-Temperature
Experiments — A. A. Petrov, E. K. Kazenas, V. K. Tagirov,
M. A. Bol'shikh, A. N. Chadin, and P. A. Nesterenko . . . . . 448 154
Superconducting Multicore Cable Solenoid with a Superconducting
Jumper — V. D. Kuznetsov . . . . . 450 156
Setup for Measuring Critical Currents in High-Current Superconductors
by the Induction Method — V. V. Andrianov, V. P. Baev,
and S. S. Ivanov . . . . . 452 158
Instrument with a Superconducting Transformer for Studying High-Current
Superconductors — L. S. Shirshov and G. Énderlein . . . . . 455 160
Two-Frequency Method of Measuring Hall emf in High-Resistance Materials
with Low Charge-Carrier Mobility — A. L. Aleksandrov,
A. S. Vedeneev, I. B. Gulyaev, and A. G. Zhdan . . . . . 459 163
Quantum Magnetometer for Measuring Magnetic Susceptibility
— V. D. Kuznetsov and N. I. Alekseev . . . . . 462 166
Multifrequency Laser Source — A. G. Akmanov
and A. M. Val'shin . . . . . 464 168
Foil Method for the Operational Monitoring of the Spatial Distribution
of the Energy Density of the Radiation of a Pulsed Laser
— B. A. Knyazev and S. V. Lebedev . . . . . 466 169
Correlation Method of Examining Weak Scintillations
— L. V. Viktorov, A. V. Kruzhalov, and B. V. Shul'gin . . . . . 468 171
Device for Measuring the Softening Temperature of Glasses
— B. T. Kolomiets and B. V. Listoshin . . . . . 472 175
Deposition of Single-Crystal Film Structures on Unoriented Surfaces
— S. V. Gaponov, S. A. Gusev, B. M. Luskin,
and N. N. Salashchenko . . . . . 474 176
Determination of the Size of a Circular Bloch Line in Permalloy Thin
Films — Ya. M. Pogosyan, M. A. Chalabyan, Z. M. Gzryan,
and A. M. Petrosyan . . . . . 476 178
Measurement of the Curvature of Single Crystals on a Two-Crystal
Spectrometer Using $K_\alpha$ and $K_\beta$ Beams — A. G. Noskov, S. I. Stenin,
and E. M. Trukhanov . . . . . 479 181
Multichannel Proportional Detector for DARK-2.0 X-Ray Diffractometer
— D. A. Goganov T. P. Toporkova, B. S. Lozinskii, I. B. Klochkova,
and Ya. K. Zaraeva . . . . . 482 183

| | Engl. | Russ. |
|---|---|---|
| Normal-Incidence Monochromator for Work with Synchrotron Radiation in the Range 40-180 nm — A. V. Kozhevnikov and N. A. Timchenko . . | 485 | 185 |
| LABORATORY TECHNIQUES | | |
| Vacuum Lock for Mass-Spectrometric Rapid Analysis of Surface Contaminants — V. I. Faerman, I. L. Agafonov, A. E. Bogatyrev, and G. M. Tsyganov . . . . . | 488 | 188 |
| Temperature Regulator for Mass-Spectrometric Thermal Analysis — S. A. Shobotenko and E. G. Zverev . . . . . | 489 | 189 |
| Source of Alkali-Metal Ions — S. F. Belykh and R. N. Evtukhov . . . . . | 491 | 191 |
| Preparation of Thin Targets from the Radioactive Isotopes $^{54}$Mn, $^{60}$Co, and $^{207}$Bi — G. I. Karazhanova, A. F. Ivanchenko, and B. A. Morozov . . . . . | 493 | 192 |
| Subnanosecond Light-Pulse Generator — E. V. Gusev and V. M. Frolov . . . . . | 494 | 193 |
| Optical Method of Measuring the Thickness of Transparent and Semitransparent Films — I. M. Kashirskii, Yu. S. Bulyshev, and V. V. Sinitskii . . . . . | 496 | 195 |
| Cooled Preamplifier — V. P. Kuz'kov and V. N. Nedashkovskii . . . . . | 497 | 196 |
| Sample Holder for a Slow-Electron Diffraction Camera — S. I. Kovalenko and S. A. Maiboroda . . . . . | 498 | 197 |
| Cryostat Attachment for Fluorescent Spectrophotometers — L. V. Levshin, A. V. Naumov, A. M. Saletskii, and V. I. Yuzhakov . . . . . | 500 | 198 |
| Measurement of Magnetic Susceptibility of Dielectrics Using an FET Transistor-Based Cryogenic Generator — S. A. Bogoslovskii and V. I. Sokolov . . . . . | 502 | 200 |
| Cryostat for Thin Film Studies in Ultrahigh Vacuum — O. I. Kapusta and V. G. Nazin . . . . . | 505 | 202 |
| Behavior of Overloaded Cryogenic Current Leads — Yu. L. Buyanov . . . . . | 508 | 205 |
| Device for Rotating Samples in Vacuum — A. A. Tarnai, P. A. Fennich, Yu. Yu. Firtsak, and O. V. Luksha . . . . . | 511 | 207 |
| Timer for the N338 Automatic Printer — V. I. Omel'chenko and S. E. Shvagerus . . . . . | 512 | 209 |



Volume 25, Number 3, Part 1 May-June, 1982



| | | |
|---|---|---|
| X-Ray Radiation Detectors on the Basis of Charge-Coupled Devices (Review) — V. I. Korzh, V. E. Kuskov, and V. Ya. Stenin . . . . . | 515 | 7 |
| NUCLEAR EXPERIMENTAL TECHNIQUES | | |
| System of Automatic Synchronization of Modulators of the "SILUND" Accelerator — L. V. Dubovik, V. D. Inkin, V. P. Nikolaev, T. P. Saenko, and A. V. Smirnov . . . . . | 529 | 20 |
| Spin-Flipper with Magnetic-Field Compensation — Yu. A. Mostovoi . . . . . | 533 | 24 |
| Hadron Spectrometer without a Magnet — Yu. D. Bayukov, A. E. Buklei, V. B. Gavrilov, N. A. Goryainov, Yu. G. Grishuk, P. V. Degtyarenko, B. L. Druzhinin, N. L. Kornienko, G. A. Leksin, V. P. Surin, V. B. Fedorov, B. A. Fominykh, B. B. Shvartsman, S. V. Shevchenko, and S. M. Shuvalov . . . . . | 535 | 25 |
| Emission-Type Gamma Spectrometer Working with Liquid Xenon — I. M. Obodovskii, S. G. Pokachalov, and V. A. Shilov . . . . . | 539 | 29 |
| Automated Spectrometer for Measuring the Differential Disturbed Angular $\gamma$—$\gamma$-Correlation — Z. Z. Aksel'rod, B. A. Komissarova, L. N. Kryukova, G. K. Ryasnyi, S. A. Sergeev, and A. A. Sorokin . . . | 542 | 32 |
| Apparatus for Measuring the Emission Cross Section of $\gamma$ Radiation Photons in Inelastic Interactions of High-Energy Protons with Nuclei — L. P. Moskaleva, S. M. Shestimerov, O. S. Manvelyan, and A. D. Dudin . . . . . | 548 | 37 |

System of Proportional Chambers of BIS-2 Spectrometer — G. Aikhner, A. N. Aleev, V. A. Aref'ev, V. P. Balandin, S. G. Basiladze, V. K. Birulev, I. Veres, T. S. Grigalashvili, B. N. Gus'kov, I. M. Ivanchenko, I. N. Kakurin, N. N. Karpenko, D. A. Kirillov, I. G. Kosarev, N. A. Kuz'min, B. A. Kulakov, M. F. Likhachev, L. Lokhonyai, A. N. Maksimov, P. K. Man'yakov, A. Montivai, A. N. Morozov, Ya. Pazoni, A. N. Parfenov, and L. Sabo . . . . . 551 40

Design and Stand Tests of Proportional Chambers of BIS-2 Spectrometer — G. Aikhner, A. N. Aleev, V. A. Aref'ev, V. P. Balandin, V. K. Birulev, L. Vaii, I. Veres, T. S. Grigalashvili, B. N. Gus'kov, Z. Kaiczos, D. A. Kirillov, I. G. Kosarev, N. A. Kuz'min, B. A. Kulakov, M. F. Likhachev, L. Lokhonyai, A. N. Maksimov, A. Montivai, A. N. Morozov, Ya. Pazoni, and L. Sabo . . . . . 557 45

Position-Sensitive Liquid-Xenon Detector for γ Rays — E. M. Gushchin, A. A. Kruglov, I. M. Obodovskii, S. G. Pokachalov, and V. A. Shilov . . . . . 561 49

Electrochemical Enhancement of Tracks of Nuclear Fission Fragments — S. P. Tret'yakova and L. V. Dzholos . . . . . 565 52

Wide-Aperture Gas-Filled Cherenkov Threshold Counter — G. S. Bitsadze, A. M. Blik, Yu. A. Budagov, V. B. Vinogradov, A. G. Volod'ko, V. Glinka, A. B. Iordanov, A. S. Kurilin, V. M. Kut'in, Yu. F. Lomakin, N. A. Rusakovich, S. V. Sergeev, A. S. Solov'ev, N. S. Tolstoi, A. A. Feshchenko, V. B. Flyagin, R. V. Tsenov, and R. Yanik . . . . . 569 56

COMPUTING IN EXPERIMENTS

Software-Controlled Analog Signal Input to a Nairi K Computer — R. A. Bogoroditskaya, G. L. Vitel's, V. G. Dolomanov, and Yu. I. Shul'meister . . . . . 574 60

Interfacing a TV Camera to Charge-Coupled Devices for Automatic Processing of Particle Track Images — A. Ya. Astakhov and G. M. Komov . . . . . 578 64

The AI-1024-4 in Data Acquisition and Storage — M. G. Chaikovskii and A. E. Glagolev . . . . . 583 68

A Computer Applied to Dynamic-Loss Measurement for a Superconducting Magnet — F. Gemeri, A. N. Erokhin, S. Yu. Ershov, L. S. Shirshov, and G. Énderlein . . . . . 585 70

ELECTRONICS AND RADIO ENGINEERING

Multichannel Analyzer as a Memory Block — O. G. Ryazhskaya and V. G. Ryasnyi . . . . . 588 73

32-Channel Electronic Module for Wire Chambers — M. V. Bartikyan, S. S. Mirzoyan, É. M. Matevosyan, K. Sh. Oganyan, and K. K. Shikhlyarov . . . . . 590 75

Stabilizer of the Regime of Amplitude Selection of Pulses in a Positron Lefetime Spectrometer — N. P. Valuev and A. N. Zhikharev . . . . . 593 77

Portable Pulse Counter — L. P. Gubin and E. I. Dolgirev . . . . . 595 79

Electronic Counters with a Programmable Division Factor — E. F. Shnyrev and A. F. Mamis . . . . . 597 81

Digital Programmable Frequency Converters — G. A. Kozin . . . . . 600 84

Digital Correlation Filter — S. B. Makarov and B. M. Medvedev . . . . . 603 86

Multichannel Generator of High-Voltage Nanosecond Pulses — V. V. Matveev, V. V. Prut, P. A. Suslov, and S. A. Shibaev . . . 607 90

Multichannel Generator of High-Voltage Pulses — V. G. Bezuglov, I. V. Galakhov, A. S. Gasheev, V. I. Ivanov, Yu. P. Kuz'michev, A. I. Kucherov, A. F. Maslov, and V. M. Murugov . . . . . 609 92

High-Current Commutator — O. G. Bespalov, V. V. Veselovskii, A. I. Nastyukha, and A. N. Udovenko . . . . . 611 94

High-Power High-Voltage High-Speed Commutator — V. I. Brylevskii, I. V. Grekhov, A. F. Kardo-Sysoev, and I. G. Chashnikov . . . . . 613 96

High-Power High-Voltage Electronic Commutator for Protecting Electrophysical Installations — V. I. Perevodchikov, V. S. Lipatov, I. G. Khomskii, N. N. Starshinov, L. A. Gubin, N. V. Matveev, L. M. Samarina, and V. M. Stuchenkov . . . . . 616 98
Control System Module for Pulsed Energy Sources — É. A. Azizov, V. A. Vorob'ev, Yu. G. Gendel', V. I. Nekhaev, and A. M. Yarosh . . 618 100
Low-Inductance Cable Collectors for Capacitive Energy Storage Elements — A. V. Grigor'ev and P. N. Dashchuk . . . . . 621 103
Equivalent Active Load for High-Power Pulse Generators — É. S. Ermolovich and N. M. Lepekhin . . . . . 624 106
High-Voltage Pulse Amplifier/Shaper for Controlling the Gate of an Electron-Optical Transducer — V. I. Shamis, I. S. Serbin, V. V. Korneichuk, and I. S. Zadorozhnyi . . . . . 626 107
Pulse Shaper for Controlling Fast Charge-Coupled Device Registers — P. A. Dik . . . . . 628 108
Shaping of Nanosecond Pulses of Variable Duration Using Current Switches — B. Z. Movshevich . . . . . 630 110
Pulsed Circuits Using a Controllable Analog of an Injection Field Transistor — I. I. Obod . . . . . 632 112
Low-Inductance Voltage Pulse Generators — I. R. Pekar' and V. A. Bocharov . . . . . 635 115
Generator for a Digital Tracking Dissector Microraster — Yu. V. Martyshevskii and V. A. Kormilin . . . . . 638 117

Volume 25, Number 3, Part 2 May-June, 1982

Pseudorandom Signal Generator — A. A. Bessonov and A. S. Markelov..... 641 120
Noise Characteristics of a Gunn-Diode Oscillator in the 3-cm-Wavelength Range — V. M. Pudalov..... 643 122
Effect of Temperature on Noise Parameters of shf Transistors — N. I. Ivanov and N. S. Yurchak..... 650 127
Broadband Amplifier with Maximum Frequency 700 MHz — F. G. Abramov, Yu. A. Volkov, and V. M. Paskhin..... 652 129
High-Power Adder of High-Frequency Harmonic Signals with Low Nonlinear Distortion — V. S. Bogdanovskii, A. I. Voronov, I. I. Zaben'kov, and É. G. Popov ..... 654 130
Tunable Narrow-Band Radio-Frequency Filter — V. A. Golenishchev-Kutuzov, S. A. Migachev, V. F. Tarasov, and N. A. Shamukov ..... 655 131
Installation for the Registration of Electron Emission — V. V. Borisov, V. G. Malets, and A. M. Shkil'ko..... 657 133
Reversible Thyristor Relay Commutator for Direct Current — A. I. Ivanenko..... 659 135
Sensitive Bridge for the Plotting of Current-Voltage Characteristics — A. I. Dobretsov, N. A. Tulina, and Yu. A. Tuflin..... 660 136
Multichannel Indicator on the Control Panel of a Physics Facility — V. G. Mikhailov, V. A. Rezvov, and L. I. Yudin..... 663 138
Precision High-Voltage Source — E. L. Kantor and V. V. Lantsov..... 667 141
Power Packs for Gas Lasers — O. V. Filonin and V. V. Panin..... 669 143
Power Regulator — V. I. Voronov..... 671 145

GENERAL EXPERIMENTAL TECHNIQUES

Power Supply for Gas-Discharge Ion Source — A. N. Bryukhanov, S. T. Latushkin, and L. I. Yudin..... 673 146
Recording Device for Plasma Diagnostics Using Thompson Scattering Measurements — P. M. Kosarev and Yu. A. Tarabrin..... 677 150
Properties of Inorganic Scintillation Detectors Used in Hot Plasma X-Ray Diagnostics — V. V. Averkiev, V. K. Lyapidevskii, V. A. Prorvich, and A. V. Sartori..... 680 152
Active Calibration of a Michelson Interferometer for Plasma Density Measurements — V. S. Burmasov, É. P. Kruglyakov, and Yu. A. Tsidulko..... 683 155

Device for Identifying Particles from Photomultiplier Pulseforms — N. N. Shchadin..... 686 157
Photomultiplier Amplitude Instabilities and Precision Measurements Using a Scintillation Detector — V. I. Grantsev, I. P. Dryapachenko, V. I. Konfederatenko, B. A. Rudenko, M. V. Sokolov, and B. G. Struzhko..... 689 159
Statistical Characteristics of Single-Electron Photoreceivers — S. S. Vetokhin, I. R. Gulakov, E. V. Klokova, and E. P. Pivovar..... 693 162
Effect of Dielectric Films on the Characteristics of a Mass-Spectrometer Ion Source — V. N. Filatov and A. A. Sysoev..... 697 165
A Pulsed Polarized Raman Spectrometer with Digital and Analog Normalization — S. M. Gladkov and N. I. Koroteev..... 700 167
A Laser Nanosecond Pulse Generator for Plasma Diagnosis — V. D. Vikharev, L. A. Dorokhin, M. V. Tulupov, and V. Ya. Tsarfin..... 703 170
Apparatus for Monopulse Ruby Laser Synchronization in Shock-Wave Investigations in Tubes — V. M. Medvedev and V. D. Shevtsov..... 706 172
A Stable Water-Vapor Discharge Laser Generating Orthogonal Polarizations — V. V. Zav'yalov and G. D. Bogomolov..... 708 174
Stabilization of the Active Synchronization Mode in an Argon Laser — I. I. Vasil'ev, V. V. Kuz'min, M. G. Livshits, and V. A. Sasunkevich..... 714 179
Finding the Distribution of Magnetic Fields by Means of Photoinduced Chemical Polarization of Nuclei — S. D. Varlamov, Yu. S. Konstantinov, and A. M. Smirnov..... 717 181
80-kOe Superconducting Solenoid Operating in a Persistent-Current Mode — E. K. Koshurnikov, V. I. Nizhankovskii, E. G. Nikolaev, S. N. Pylinina, and V. N. Shakhtarin..... 720 184
Equipment for Producing High Pressures and Pulsed Magnetic Fields — G. A. Govor, V. M. Dobryanskii, and G. I. Makovetskii..... 723 186
Vacuum X-Ray Diode — A. S. Ganeev, A. L. Zapysov, I. M. Izrailev, V. P. Nikitin, V. A. Podgornov, and N. A. Khavronin..... 725 188
A Sensitive Large-Area Calorimeter for Measuring the Energy of Soft X Rays of a Laser Plasma — V. A. Boiko, D. A. Vel'mushkin, and A. Ya. Faenov..... 727 189
Multiwire Counter for the Ultrasoft X-Ray Region with Enhanced Energy Resolution — G. F. Karabadzhak and V. D. Peskov..... 730 191
Use of an Electron-Diffraction Camera to Observe the Kinetics of Structural Changes under High-Power Light Pulses — N. A. Sainov, M. F. Galyautdinov, I. B. Khaibullin, and E. I. Shtyrkov..... 731 193
Measurement of the Space Charge in Dielectrics Irradiated with a Pulsed Electron Beam — Yu. A. Solov'ev and N. I. Yagushkin..... 732 194
System for Nanosecond Pulsed Measurements with Digital Accumulation of Signal — V. V. Ryl'kov, A. G. Zhdan, A. L. Aleksandrov, E. M. Bazarnyi, and I. B. Gulyaev..... 736 196
Instrument for Contact Measurements of Kinetic Parameters of Semiconductors — B. B. Anisimov, V. G. Kakuberi, and Yu. A. Mal'tsev..... 739 199
Measuring Instrument for the Lifetime of Minority Carriers in the Base Regions of Three-Layer Structures — B. I. Grigor'ev, E. A. Gritsevskii, V. N. Goremyshev, and V. V. Togatov..... 741 201
Measuring Apparatus for the Study of Emission Currents in MOS Structures — N. A. Dyuzhev, A. I. Kozlov, and V. I. Makhov..... 744 204
Measurement of Electrical Conductivity and Hall Effect in High-Resistance Materials by the Two-Electrometer Method — A. S. Vedeneev..... 746 206

An Electrochemical Method of Determining the Depth Distribution of Donor Impurities in Silicon — O. V. Aleksandrov and G. A. Gavrikov..... 749 207
A Differential Method of Determining the Absorption Coefficient of a Liquid for Electromagnetic Radiation in the Submillimeter Range — E. A. Vinogradov, V. D. Gubko, N. A. Irisova, V. N. Podshivalov, and I. L. Semenov..... 752 210

LABORATORY TECHNIQUE

A Heat-Treatment Device for Thermoluminescent Dosimeter Detectors — V. G. Erkin, V. I. Kovalenko, and O. V. Lebedev..... 755 212
A Control Unit for a Stepping Motor — V. N. Salosin, Yu. V. Koshevoi, and E. A. Gushchin..... 757 213
A Resistance Heater as a Thermocouple — B. M. Bulakh, G. S. Pekar', and G. A. Kupchenko..... 758 215
A Current Stabilizer for Resistance Thermometers — V. B. Zhuze and G. E. Zubkov..... 760 216
An Electron Evaporator for Successive Deposition of Refractory Metals — L. N. Aleksandrov and T. M. Lomtatidze..... 761 217
A High-Vacuum Seal for Reciprocating and Rotational Motions — S. I. Kovalenko and S. A. Maiboroda..... 762 218
A Conical Vacuum Seal — Yu. F. Orekhov..... 764 219
A Multiple-Reflection Attachment for the IKS-22 Spectrophotometer — V. P. Tolstoi, G. N. Kuznetsova, M. I. Ivanova, and A. I. Somsikov..... 765 220
Self-Synchronized Operation of a Spectral Instrument and a Recording System — I. N. Goncharuk..... 767 221
Method for Determining the Coherence Region of Two Light Beams — V. A. Grinchuk, E. F. Kuzin, S. D. Kuz'michev, M. L. Nagaeva, and G. A. Ryabenko..... 768 223
Rubren-Based Film Actinometer for Ultraviolet Radiation — A. S. Arutyunov..... 769 224
Holographic Interferometric Monitoring of Polished Surface Planarity — V. V. Mechev, V. A. Gavrilov, and L. Z. Suleimanova..... 771 225
Simple Laser Light Source for Microscopes — V. V. Kalinin and V. I. Solunskii..... 774 228
Device for Bending Crystals for X-Ray Studies — V. I. Kushnir and V. A. Vogman..... 775 228
Electrochemical Oxidation of Nb + Ti Alloy Wire — V. K. Ignat'ev..... 777 230
Simple Tube Conveyer for Quick Activation Analysis of Probes of 50-cm$^3$ Volume — L. M. Zykin, A. A. Kolosov, and Yu. M. Tsipenyuk..... 778 231
High-Temperature Vacuum Oven — A. A. Dzhaimurzin and Zh. Zh. Imanbekov..... 779 232
Heat Capacity of BF Glues at Low Temperatures — P. G. Vasil'ev..... 781 233

**Volume 25, Number 4, Part 1 July-August, 1982**

Standard Interfaces for Program-Modular Multiprocessor Systems (REVIEW) — E. V. Chernykh . . . . . 783 5

NUCLEAR EXPERIMENTAL TECHNIQUES

Stabilization of Longitudinal Instabilities in Heavy-Ion Storage Rings — P. R. Zenkevich and D. G. Koshkarev . . . . . 817 36
Composite Neutron Recording Systems — I. M. Kozlov, O. P. Nikotin, and A. S. Chekrenev. . . . . 821 39
Single-Coordinate Position-Sensitive Neutron Detector with Digital Processor — V. I. Gordelii, Yu. B. Zasadych, M. Z. Ishmukhametov, V. I. Lazin, and V. E. Novozhilov . . . . . 825 42

Flight-Time System with Automatic Adjustment and Logic Sampling of Information for the Nataliya-2 Telescope — D. Yu. Akimov, S. E. Belenko, Yu. D. Kotov, O. N. Romanov, and V. T. Samoilenko . . . 828 45
Two-Coordinate Scintillation Hodoscope on the Basis of Hodoscope Photomultipliers — N. K. Vishnevskii, A. I. Ronzhin, V. K. Semnov, and B. A. Khachaturov . . . . . 833 49
Using Scintillation Hodoscopes with Hodoscope Phtomultipliers in Particle-Momentum Measurements and in Fast Sampling — A. N. Vasil'ev, N. K. Vishnevskii, Yu. A. Matulenko, E. A. Monich, S. B. Nurushev, A. I. Ronzhin, V. I. Rykalin, V. K. Semenov, and B. A. Khachaturov . . . . . 836 52
Matching the Spectral Characteristics of Scintillators and Photodiodes — V. D. Ryzhikov, P. E. Stadnik, and Yu. A. Yakovlev . . . . . 842 57
A Nitrogen-Filled Ionization Chamber — K. M. Avakyan, G. V. Azizbekyan, and P. S. Mnatsakanyan . . . . . 846 60

EXPERIMENTAL APPLICATIONS OF COMPUTER TECHNOLOGY
A Device for Inputting Analog Signals to a Nairi 3-1 Computer — P. G. Kuznetsov and N. M. Nikiforova . . . . . 849 63
An Interface for Processing Pulse Signals with Direct Memory Access in the Élektronika 60 — S. G. Goloborod'ko, V. I. In'shakov, A. P. Leonov, V. V. Popov, and E. A. Ustinov . . . . . 854 66
A Controller for a Standard IEC BUS on the Basis of an Élektronika D3-28 Microcomputer — V. P. Biryulin, S. P. Morozov, N. A. Pelykh, V. I. Sadchikov, and V. N. Shcheglov . . . . . 858 72
A Timeswitch Based on an Élektronika B3-21 Programmable Microcalculator — A. N. Dorofeev . . . . . 866 80
A Unit for Recording the Output Signals from LI 604 and LI 605 Image Dissectors Working in the One-Electron Mode — V. N. Burov, L. F. Vavulo, V. V. Zhuk, P. I. Kirillyuk, I. V. Reznikov, and A. N. Tikhomirov . . . . . 868 82
A Programmable Pulse Generator — V. P. Zelenin, S. B. Karpov, and V. V. Yaroslavtseva . . . . . 869 83

ELECTRONICS AND RADIOTECHNOLOGY
Controllable Scanner for an Automatic Nuclear Photoemulsion Analyzer — V. A. Grashilin and Yu. Ya. Karlyshev . . . . . 874 87
Simple Circuit for Dynamically Displaying Digital Data from One or Several Counters — S. U. Klimovich and Yu. P. Surkov. . . . . 877 90
Stable Time-to-Amplitude Converter with High Load Capacity — A. N. Semenikhin, S. V. Svirida, and E. B. Klopikov . . . . . 879 92
Fast Analog Storage Device — G. V. Basalaev and A. B. Kmet' . . . . . 881 94
A High-Power Current Pulse Generator — V. I. Amelichkin, B. G. Kudasov, and Yu. P. Kuropatkin . . . . . 884 97
A High-Power Pulsed Thyristor Switch — V. I. Amelichkin and B. G. Kudasov . 886 98
High-Speed, High-Voltage Pulse Generator — Yu. A. Kotov and V. P. Kuznetsov . . . . . 889 101
Determination of the Characteristics of Arkad'ev–Marx Generators Using Full-Scale Models — V. F. Bukharov, A. I. Gerasimov, V. V. Mamontov, and A. S. Fedotkin . . . . . 892 104
High-Power Three-Stage Switch for an Electrical Discharger with Inductive Energy-Storing Element — I. A. Ivanov, A. P. Lototskii, N. P. Pugachev, and V. A. Trukhin . . . . . 895 106
High-Voltage dc Current Chopper — V. V. Ivanov and A. I. Savvatimskii . . . 898 108
Wideband Follower with 40-kV Optoelectronic Isolation — V. S. Belkin . . . 901 111
Device for Flattening the Tops of High-Power Transformed Pulses — V. V. Kashtanov and V. A. Klimov . . . . . 905 114
Nonlinear Multichannel Pulse-Sharpening Line Containing Ferrite Rings with Nonrectangular Hysteresis Loop — V. A. Shvets . . . . . 908 116

**Volume 25, Number 4, Part 2 July-August, 1982**

Shaper for Forming Pulses Used to Control an Electrooptical Shutter — S. I. Romanov . . . . . 913 120

| | | |
|---|---|---|
| Pulse Shaper for Time Clamping to the Rising Edge of Pulses in Semiconductor Detectors — A. A. Aleksandrov, V. A. Mokrousov, and Yu. V. Pyatkov | 915 | 122 |
| Compact Pulse Modulator — V. S. Panasyuk, Yu. K. Samoshenkov, and M. F. Simanovskii | 918 | 124 |
| Transistor Regulated Time Delay Circuit — S. I. Romanov | 920 | 127 |
| Current Pulse Amplifier — V. S. Zaionchkovskii and B. G. Borisov | 922 | 128 |
| Digital Function Generator — A. M. Borodin and B. M. Kazakov | 923 | 129 |
| Infralow Frequency Sine Wave Generator — Ya. L. Burtov, A. P. Makeev, A. N. Skurskii, and V. T. Guchinskii | 925 | 131 |
| Multichannel MOSFET Analog Switch — P. N. Telen', L. K. Zakharevich, and V. N. Vlasyuk | 927 | 133 |
| Wideband Shortwave Transistor Power Amplifier with Improved Linearity — V. A. Ivanov and A. A. Solov'ev | 929 | 135 |
| Phase-Stable Amplifier with Programmable Gain — P. A. Lapshin and V. V. Maslennikov | 931 | 137 |
| Synchronous Detector Having a Wide Dynamic Range — Yu. K. Rybin and V. P. Budeikin | 933 | 139 |
| Amplitude Meter for Infralow-Frequency Waves — V. N. Skorobogatov and Yu. V. Yurchenko | 935 | 141 |
| Multiple-Frequency Reference Signal Generator — Yu. K. Rybin and V. P. Budeikin | 938 | 143 |
| Two-Stage System of Automatic Phase-Lock Frequency Control — Yu. P. Grishin, K. P. Kuznetsov, R. L. Chiritso, and M. M. Baskakov | 941 | 146 |
| Electrically Tuned Bandpass Filter with Hybrid Control — P. L. Gluzman and A. I. Dvorson | 944 | 149 |
| Frequency-Pulling Superregenerator for Observing NQR — O. N. Bryukhanov and T. N. Rudakov | 947 | 151 |
| Use of a Spiral Fitting in Observing Nonstationary ESR Signals — Yu. F. Panferov, O. Ya. Grinberg, A. A. Dubinskii, and Ya. S. Lebedev | 949 | 153 |
| UHF Oscillator Instability Compensation in a System for Measuring the Field Distribution in a Cavity Resonator — A. I. Kleev and A. B. Manenkov | 950 | 154 |
| Transistor Microwave Oscillator Stabilized with a Dielectric Resonator — G. V. Petrov and A. V. Khramov | 954 | 158 |
| Measurement of Q of Superconducting Microwave Resonators by the Decrement Method — V. M. Pudalov | 957 | 160 |
| System for Recording Electron-Atom Collision Cross Sections Using an AI-256-6 Pulse Analyzer — Yu. I. Malakhov and M. B. Shapochkin | 962 | 164 |
| Measurement of Differential Capacitance of Nonlinear Capacitors Using a Bridge Circuit — A. S. Ruban and M. L. Ul'pe | 964 | 166 |
| Field Stabilizer for Permanent Magnet of Nuclear Magnetic Resonance Spectrometer — G. V. Ivanov, D. I. Vainshtein, V. A. Safin, and V. D. Shchepkin | 967 | 168 |
| Unified Supply Source for Lamps Used in Ultraviolet Spectroscopy — R. R. Vardapetyan, S. A. Terzikyan, P. O. Vardevanyan, and G. A. Panosyan | 968 | 170 |
| Three-Phase Controlled Reversing Thyristor Rectifier — V. N. Sidorov, A. A. Khomenko, E. B. Reginya, and G. N. Romanova | 970 | 171 |
| Device for Measuring the Energy Reflection Coefficient in Charged-Particle Bombardment of a Metal — N. N. Koborov and V. A. Kurnaev | 971 | 173 |
| Measurement of the Time-of-Flight Spectrum of a Supersonic Beam with an AI-128-2 Multichannel Pulse-Height Analyzer — F. F. Papp, E. É. Kontrosh, N. I. Romanyuk, A. V. Snegurskii, and A. N. Zavilopulo | 975 | 176 |
| Continuous-Running Electron Gun with a Large-Area Plasma Cathode — Yu. E. Kreindel', V. Ya. Martens, V. Ya. S'edin, and S. V. Gavrintsev | 977 | 178 |
| Mobile Probe for Examining a Dense Plasma — V. N. Kovalev, A. A. Lyapin, and M. M. Chursin | 979 | 180 |

Characteristics of a Photodiode Matrix for Use with Weak Light Fluxes — G. I. Aponin, A. A. Besshaposhnikov, V. B. Voronin, D. M. Kulakov, A. D. Petrova, and N. V. Simonova . . . . . 981 182
Current Electron-Optical Apparatus Based on Time-Analyzing Electron-Optical Converters — B. Z. Gorbenko and B. M. Stepanov . . 985 185
Photocathodes for X-Ray Electron-Optical Converters — E. D. Baeva, E. I. Zak, L. I. Kondrashova, B. M. Stepanov, and I. G. Tverdokhleb . . . . . 988 188
Comparison of the Spectrometric Characteristics of the FÉU-110, FÉU-139, and RCA 4524 Photomultipliers — S. D. Kalashnikov and V. L. Krivoshein . . . . . 990 190
Operational Features Resulting in Mass Spectrometers from NPM-0.1 Vapor-Jet Vacuum Pumps — V. I. Ermolov, Yu. S. Kusner, and K. M. Moskalenko . . . . . 992 192
Calibration of a Mass Spectrometer in Static Operation — E. V. Popov and A. Ya. Kupryazhkin . . . . . 994 194
Attachment to the Shl-1 Magnetic-Induction Meter for Displaying the Result in Magnetic-Induction Units — V. I. Barchuk . . . . . 996 195
A Superconducting Switching Device — V. I. Mikhailov, Yu. L. Baev, and V. A. Pavlyuk . . . . . 997 196
Single-Frequency Monopulse Neodymium Phosphate Glass Laser with Active Q-Modulation — V. M. Leont'ev, S. F. Sitnikov, and V. I. Sokolov . . . . . 1000 199
Fast-Acting Optical Radiation Source — A. S. Prokhorenko and N. N. Shavel' . . . . . 1004 202
Pulsed Source of an Optical Comparison Spectrum of High Brightness — V. P. Novikov and V. S. Smirnov . . . . . 1006 204
Optical Signal Conversion by a Pulse-Time Method by Using Semiconductor Photoresistors — G. S. Bondarev . . . . . 1008 206
Spectrograph for Investigating Spectra of Pulsed Infrared Lasers — G. B. Gorlin, I. I. Komissarova, G. V. Ostrovskaya, Yu. I. Ostrovskii, L. G. Partiskii, V. N. Filippov, and E. N. Shedova . . . . . 1009 207
Scanning Mirror Device with Frequency Matching for the DFS-13 Spectrograph — V. P. Novikov, V. S. Smirnov, and V. V. Eremenko . . 1011 209
A Device for Measuring the Electrical Potential in an Insulator — Yu. P. Gorbachev, K. A. Dergobuzov, V. I. Dovgii, O. B. Evdokimov, A. V. Samoilik, Yu. A. Solov'ev, and N. I. Yagushkin . . . . . 1015 213
Use of an X-Ray Diffractometer to Investigate Fluorescence Radiation — B. A. Mel'nik . . . . . 1018 215
Measurement of the Energy Spectrum of Nanosecond X-Ray Pulses — L. Ya. Morgovskii, B. V. Kagan, and O. S. Marenkov. . . . . 1019 216
Microdefects in X-Ray Radiation Detectors — V. P. Gimanov, L. A. Kholodova, D. A. Goganov, E. V. Blyakher, V. V. Korolev, and E. V. Solov'eva . . . . . 1022 218

LABORATORY TECHNIQUE
Ion Source of ROMS-2 Mass Spectrometer with Fragmentless Ionization — N. N. Ledneva, Kh. I. Pruger, and A. A. Rivlin . . . . . 1025 222
Photolithographic Method of Obtaining a Metallized Pattern on Specimens of the Material OKMAL — I. E. Bylina, N. N. Kositsyna, Yu. M. Rotner, and L. P. Shaiko . . . . . 1026 223
Device for Observing Microheterogeneities in Interference Coatings — E. I. Firsov and P. G. Shlyakhtenko . . . . . 1028 225
Device for Producing Uniaxial Deformation in the Surface Layer of Crystals — A. M. Saitsev, V. D. Kopanev, and A. A. Gippius . . . . . 1029 226
Device for Studying the Thermal Conductivity of Melts of Dielectrics in the Range 1100-2000°K — V. D. Golyshev, M. A. Gonik, V. A. Petrov, and Yu. M. Putilin . . . . . 1031 227
Thermometer Based on the Oscillistor Effect — V. M. Bondar, É. A. Sidorenko, and V. V. Yakovlev . . . . . 1033 229
Method of Fastening Piezoelectric Element by "Cold Soldering" — Yu. I. Kuzovkov and V. Ya. Nagin . . . . . 1035 230

| | Engl. | Russ. |
|---|---|---|
| A High-Pressure Regulator — A. N. Zisman and V. N. Kachinskii | 1036 | 232 |
| Control System for Electromagnetic Valve Actuator — A. A. Khomenko, V. V. Sokolov, and G. N. Romanova | 1038 | 233 |
| Small Cryostat for Cooling a Photomultiplier — A. A. Samokhvalov, Yu. P. Sukhorukov, and A. F. Gunichev | 1039 | 234 |



**Volume 25, Number 5, Part I September-October, 1982**



| | Engl. | Russ. |
|---|---|---|
| FASTBUS — A Standard for the Design of High-Speed, Fourth-Generation Electronic Apparatus (Review) — S. G. Basiladze | 1041 | 5 |
| NUCLEAR TECHNIQUES | | |
| A Pulsed Electron Accelerator with Extraction of a Broad Beam into the Atmosphere — M. A. Abroyan, P. M. Bogomazov, S. F. Zverev, S. L. Kosogorov, V. A. Lagutin, V. A. Rodichkin, A. D. Susarov, G. M. Tokarev, and K. A. Sharkov | 1065 | 28 |
| A Precision Current Stabilizer for the Main Winding of a Cyclotron for Use in a Multicoupled Control System — V. I. Sakhno, P. P. Teplov, and V. G. Tsyvinskii | 1067 | 30 |
| A Magnetic-Induction Beam Current Transducer with Shielding from Magnetic Interference — A. S. Kalinin and E. I. Shubin | 1070 | 32 |
| Measurement of Parameters of Electron–Ion Storage Rings — V. D. Inkin, A. A. Mozelev, and V. P. Sarantsev | 1074 | 36 |
| Measurement of the Number of Electrons in Electron Rings from Infrared Synchrotron Radiation — Yu. M. Volkov, A. A. Mal'tsev, V. A. Sviridov, V. P. Fominenko, and V. P. Chizhov | 1080 | 40 |
| Detection of Synchrotron Radiation under the Conditions of Pulsed Noise — V. M. Lachinov, A. A. Mal'tsev, and V. P. Filin | 1084 | 43 |
| Operation of Multigap Projection-Type Spark Chambers — B. M. Golovin, Yu. A. Gornushkin, V. S. Nadezhdin, and N. I. Petrov. | 1088 | 47 |
| A Drift Chamber for the Identification of Slow Particles — Yu. Zlomanchuk, A. Navrot, V. A. Nikitin, V. D. Peshekhonov, and M. Shavlovskii | 1095 | 53 |
| Calculation of the Spatial Resolution of Scintillation Hodoscopes Built on the Basis of Hodoscope Photomultipliers at Various Types of Time Matching — V. G. Vasil'chenko, V. G. Lapshin, E. A. Monich, A. I. Ronzhin, and V. I. Rykalin | 1102 | 58 |
| Efficiency of Recording Thermal Neutrons with Semiconductor Detectors Having Planar Convertors — N. O. Elyutin, V. K. Lyapidevskii, A. O. Nikitin, and B. G. Perezhogin | 1107 | 62 |
| COMPUTER TECHNOLOGY APPLICATIONS IN EXPERIMENT | | |
| Interfacing the AI-4096 Multidimensional Analyzer to the Nairi-K Computer — A. P. Zakharnev and N. B. Malevannaya | 1111 | 65 |
| Multichannel Amplitude Analyzer Using the "MERA-60" Microcomputer — B. V. Fefilov and Nguen Hak Thi | 1113 | 67 |
| Interfacing a Transit-Time Mass Spectrometer to a Minicomputer — F. Ya. Gimel'shein, V. A. Ermolenko, and A. N. Mikheev | 1115 | 69 |
| Using the Rin-609 Video Terminal as a Controller for the Élektronika-60 Microcomputer — V. P. Lyashev, M. V. Tskhvaradze, and A. L. Chkhenkeli | 1119 | 72 |
| Analog Input Circuit for the Élektronika DZ-28 Microcomputer — A. I. Antonevich, V. V. Butskii, V. F. Mikolenko, and I. L. Natanson. | 1121 | 74 |
| ELECTRONICS AND RADIO ENGINEERING | | |
| Units and Devices Enhancing the Reliability and Simplifying the Operation of Apparatus for Studying Double β-Decay — Yu. G. Zdesenko, V. N. Kuts, I. A. Mytsyk, and A. S. Nikolaiko | 1124 | 77 |
| Fast-Response Analog–Digital Converter — D. I. Abramovich, A. I. Antonevich, V. V. Butskii, I. R. Gulakov, and N. V. Naumov | 1128 | 81 |
| Floating-Point Counters — V. V. Kalugin | 1131 | 83 |
| Multimode Pulse Counter — D. D. Natanzon | 1133 | 85 |
| Gray-Code Bidirectional Counter — A. I. Gonchar, V. S. Nesterenko, and V. A. Fazkullin | 1135 | 86 |

Frequency-Harmonic Multistable Storage Element (Spectrotron) — P. L. Gluzman . . . . . 1136 88
Generation of High-Power Current Pulses by Means of Thyristors — A. V. Voronin and V. M. Kuzhetsov . . . . . 1139 90
Shaping of High-Voltage Nanosecond Pulses Using Arc-Discharge Cold-Cathode Thyratrons — S. I. Ziyenko, S. V. Murav'yev, and V. A. Yamshchikov . . . . . 1140 91
Transistor Generator for Nanosecond Pulses — O. S. Kolotov and V. A. Pogozhev . . . . . 1143 94
A Microampere-Range Stabilized Current Generator with Grounded Load — V. K. Ignat'ev and S. G. Semenchinskii . . . . . 1144 95
A Sweep-Current Generator — I. B. Moskalenko and V. P. Regentov . . . . . 1145 95
Charge-Density Measurement for Single Nanosecond Electron-Beam Pulses — V. I. Voroshen' and N. M. Chirkin . . . . . 1147 97
A Fast One-Electron Pulse Discriminator — K. D. Shelevoi, V. V. Burkov, and A. A. Venikov . . . . . 1150 99
Pulse Threshold Amplifier — V. L. Pravdin . . . . . 1151 100
Low-Noise Low-Frequency Preamplifier — I. A. Buchkovskii, M. S. Andrushchak, and I. M. Rarenko . . . . . 1153 102
High-Accuracy Synchronous Detector with Wide Dynamic Range — Ch. O. Kadzhar, S. A. Musaev, and É. Yu. Salaev . . . . . 1155 103
Four-Centimeter Traveling-Wave Maser with High Amplitude and Phase Stability — Ya. L. Shamfarov, A. I. Stetsenko, and S. K. Kondrashin . . . . . 1157 104
A Stabilized Controlled Generator for a Quadrupole Mass Spectrometer — S. A. Shobotenko and A. A. Evstifeev . . . . . 1160 107
A Wide-Band Power Amplifier for a Pulsed NQR Spectrometer — A. S. Azheganov and A. V. Danilov . . . . . 1162 109
NMR Relaxometer Transducer with Magnetic-Field Pulse Gradient Coil — V. A. Sevryugin and V. D. Skirda . . . . . 1165 112

**Volume 25, Number 5, Part 2 September-October, 1982**

Determining the Permittivity of a Medium from the Extremum Value of the Electric Field Potential — V. G. Nalivaev . . . . . 1169 114
Sign Discriminator with Zero-Displacement Compensation — M. V. Soldatenko . . . . . 1172 116
Fast-Response Sign Discriminator — N. E. Zhorov and M. V. Soldatenko . 1174 118
Device for Measuring Low-Voltage Signals in High-Voltage Circuits — V. G. Nikolaevskii, G. M. Churikov, and V. V. Kryzhko . . . . . 1176 119

GENERAL EXPERIMENTAL TECHNIQUES

A Power Supply and Gun Control for a High-Current Pulsed Electron Accelerator — Yu. G. Bamburov and I. V. Kazarezov. . . . . 1179 121
Measurement of the Current from 60-130-keV Electrons in Air — Yu. V. Grigor'ev and A. V. Stepanov . . . . . 1182 124
A Spiral Plasma Discharge as an Element in a Measuring Device — Yu. I. Iorish and A. I. Rutman . . . . . 1185 126
Interferometer to Measure Electron Concentration in a Strongly Fluctuating Plasma — M. G. Potapov and S. P. Kozharskii . . . . . 1188 128
A System for Recording the Radiation Contrast of a High-Power Pulsed Laser — A. E. Danilov, Yu. A. Mikhailov, G. V. Sklizkov, and S. I. Fedotov . . . . . 1191 130
The Recording System of a Slow-Electron Spectrometer — O. M. Artamonov, V. M. Vasil'ev, O. M. Smirnov, and A. N. Terekhov . . . . . 1194 133
An Achromatic Predisperser as the Input Chamber for an Electron Energy Analyzer — O. M. Sorokin . . . . . 1196 134
Stable Spark Gaps for Voltages up to 20 kV with Short Triggering Times — L. E. Aranchuk, L. A. Dorokhin, E. V. Znatnov, M. V. Tulupov, and V. Ya. Tsafrin . . . . . 1200 138
A Method of Examining the Number of Electrons Produced in an Elementary Act of Field Emission — N. P. Afanas'eva, N. V. Egorov, A. V. Kocheryzhenkov, and G. N. Fursei . . . . . 1204 141

| | | |
|---|---|---|
| Static and Dynamic Control Characteristics of the FÉU-17 Photomultiplier — G. D. Petrukhin, Yu. Yu. Martyushev, and B. M. Glukhovskoi | 1207 | 143 |
| Method for Selecting Photomultipliers for Weak Signal Recording — O. A. Bukin, S. Yu. Stolyarchuk, and V. A. Tyapkin | 1209 | 144 |
| Magnetostatic Focusing System for Two-Chamber Electron-Optical Converters — L. V. Gyavgyanen, V. S. Rylov, and T. A. Skosyrskaya | 1211 | 146 |
| Low-Current Stroboscope Recorder with a Microchannel Plate — V. A. Rezvov, I. N. Serikov, L. I. Yudin, and A. P. Yablokov | 1214 | 147 |
| Instrument for Gathering and Primary Processing of Data of Mass Spectrometry — S. A. Shobotenko | 1218 | 150 |
| An Ion Source with Surface Ionization for Six Inserted Samples to Be Used in the MI-1201 Mass Spectrometer — L. L. Chilipenko | 1220 | 152 |
| Photopyrolytic Cells for Mass-Spectrometric Investigations — A. Toirov and Z. A. Kabilov | 1224 | 155 |
| Adjusting Laser Beams onto a Spherical Target in the "Del'fin-1" Unit — N. G. Basov, H. Gunkel, A. E. Danilov, G. Dinnebier, I. V. Kirsanova, S. Kusch, V. Reinicke, R. Rieker, N. Russ, S. M. Savchenko, G. V. Sklizkov, S. I. Fedotov, H. Schinnagel, and K. Junge | 1227 | 158 |
| Automatic Adjustment of the Position of the Operating Point of an Electrooptical Modulator — V. I. Grigor'evskii, B. L. Davydov, and A. N. Lomakin | 1231 | 161 |
| A Pulse Source of Continuous Spectrum — O. M. Kerimov, S. I. Kucheryavyi, and A. I. Milanich | 1233 | 163 |
| Generation of Intense Steady-State Magnetic Fields in Dissipative Solenoids — A. A. Udod | 1236 | 165 |
| 50-Ton Press for Low-Temperature Investigations — V. V. Evdokimova, A. P. Novikov, I. A. Shutov, T. S. Gorovikova, and Yu. M. Khitrov | 1240 | 168 |
| Low-Temperature Optical Two-Stage High-Pressure Chamber — V. A. Voloshin and A. I. Kas'yanov | 1243 | 170 |
| High-Sensitivity Dilatometer for High-Pressure Investigations — A. N. Zisman and V. N. Kachinskii | 1245 | 172 |
| Scanning Generator for Scanning Electron Microscope — O. L. Kulyas, A. A. Kamalyagin, and I. A. Golovenkin | 1249 | 175 |
| Digital Multiple-Standard Synchrogenerator for Scanning Electron Microscopes — G. V. Korolev, V. G. Balobanov, O. L. Kulyas, A. A. Kamalyagin, and A. V. Danilov | 1252 | 178 |
| A Compact Pulsed X-Ray Machine Rita-150 — A. S. El'chaninov, F. Ya. Zagulov, and V. G. Shpak | 1256 | 181 |
| A Method of Examining the X-Ray Pulses from a Plasma Focus System — E. R. Astvatsatur'yan, P. G. Bobyr', V. A. Gribkov, A. V. Dubrovskii, and P. K. Skorobogatov | 1258 | 183 |
| A Stabilized Power Supply for a BKh-3 X-Ray Tube — S. M. Mikhailov | 1261 | 185 |
| Resonator for Resistivity Measurements on Semiconductor Specimens — A. G. Levashkin, A. S. Petrov, and G. I. Tyul'kov | 1263 | 187 |
| Determination of Carrier Mobilities in Semiconductor Films Having Macroflaws — V. A. Zykov, S. A. Kaz'min, and V. I. Kaidanov | 1267 | 190 |
| System for Study of Gas Dielectric Properties — A. A. Potapov and E. P. Metsner | 1270 | 192 |
| Ultrahigh Vacuum Evaporative Helium Cryopump — B. Z. Kanter and A. V. Kozhukhov | 1275 | 196 |
| Germanium Resistance Thermometers for Ultralow Temperatures — K. N. Zinov'eva, V. V. Vainberg, F. M. Vorobkalo, L. I. Zarubin, and S. T. Boldarev | 1277 | 198 |
| Calorimeter for Measuring Power Carried Off by Liquid Coolant — S. G. Mikhin | 1281 | 201 |
| Fluidic Anemometer — E. F. Shkatov | 1285 | 204 |
| LABORATORY TECHNIQUES | | |
| Reference-Voltage Sensor — P. P. Vatamanyuk and A. I. Savchuk | 1288 | 207 |
| Pulsed Speed Regulator for a DC Electric Motor — N. D. Tret'yakov | 1290 | 208 |
| A Device for Examining the Emission Properties of Material — A. I. Klinkov and V. F. Platonov | 1292 | 210 |

A Transducer for Low Oxygen Partial Pressures — S. P. Golubkov and P. M. Talanchuk . . . . . 1294 212
Acoustic Device for Determining the Isotopic Composition of a $^3He + ^4He$ Gas Mixture — L. B. Parfenov and A. F. Prudkoglyad . . . . . 1296 213
A Simple Setup for Changing the Polarization of Laser Radiation — Yu. E. Gorbatyi, I. V. Babashov and G. V. Bondarenko . . . . . 1299 215
Lens System Used to Adjust the Illumination Intensity of the Photocathode of an Electron-Optical Converter in Time Analysis — G. V. Kolesov, I. M. Korzhenevich, V. B. Lebedev, B. M. Stepanov, and E. B. Sysoeva . 1300 216
Setup for Automatically Maintaining the Image of the Solar Chromosphere on the Slit of a Spectrograph — L. A. Geondzhyan and É. V. Khutsishvili . . . . . 1302 218
Meter for Monitoring the Vibration Amplitude of an Ultrasonic Tool — I. P. Golyamina, Z. I. Polyakov, and N. A. Khlopotunova . . . . . 1304 220
A Flexible Piezoelectric Pressure Transducer — S. V. Belyaev, S. D. Pel'ts, É. D. Pol'skikh, E. A. Myzgin, and B. A. Chayanov . . 1308 223
Electrical Leads for a Hydrostatic Pressure Chamber — P. P. Shamaev . . 1310 224
A Flow Cryostat for Operating a Polarizing Microscope in Reflection — Yu. E. Stetsenko, A. I. Belyaeva, and V. I. Silaev . . . . . 1312 225

**Volume 25, Number 6, Part 1 November-December, 1982**

State of the Art and Prospects for Development of High-Speed Analog-to-Digital Converters (Review) — G. D. Bakhtiarov and P. A. Dzardenov . . . . . 1315 5

NUCLEAR EXPERIMENTAL TECHNIQUES
Betatron Energy Stabilization System — Yu. V. Kuznetsov, E. V. Lazutin, Yu. A. Novikov, and V. M. Sorvin . . . . . 1333 21
Electrostatic Analyzer with Variable Field Geometry — M. M. Dubrovin and V. A. Belyaev . . . . . 1337 25
Combined Spectrometer for Small-Angle and Diffuse Scattering of Cold Neutrons — V. S. Bedbenov and G. A. Oganezov . . . . . 1340 28
Stabilized Scintillation Spectrometer for Scattered Low-Energy Gamma Radiation — O. M. Anshakov, V. A. Chudakov, A. L. Kholmetskii, and V. I. Gurinovich . . . . . 1345 31
Thermal Degradation of Plastic Scintillators — E. A. Andreeshchev, S. F. Kilin, Yu. P. Kushakevich, I. M. Rozman, and V. M. Shoniya . . . 1348 35
Scintillation Pulse Shape Provided by Polyvinylxylene Plastic Scintillators — N. Z. Galunov, O. A. Gunder, I. V. Kopina, and Yu. A. Tsirlin . . . . . 1352 38
Identification of Heavy Charged Particles by Using a Fast Amplifier to Obtain E-and t-Signals — A. S. Gass, V. N. Dobrikov, O. F. Nemets, P. N. Svetlichnyi, V. A. Stepanenko, and A. A. Shvedov . . . . . 1355 41
Method of Determining the Thickness of Nuclear Photoemulsions in Autoradiography — V. D. Rusov, M. Yu. Semenov, and V. A. Barsuk. . . 1357 42

EXPERIMENTAL APPLICATIONS OF COMPUTER TECHNOLOGY
Data-Acquisition and Recording System — A. K. Kozorez . . . . . 1360 45
System for Acquisition, Processing, and Recording of Experimental Data Using an "Elektronika DZ-28" Microcomputer — A. I. Fradkov, G. P. Zimin, and O. A. Katsyuba . . . . . 1363 47
Use of BPS-75 + "Elektronika-100I" Scanning-Measuring System for Analysis of Photographs from Wide-Gap Spark Chambers — S. A. Averin, G. V. Veselova, and G. V. Navasardyan . . . . . 1368 52
Interfacing the SP-3 Optical Tape Reader to the "Elektronika-60" Microcomputer — V. I. Antonov, S. A. Zolotoi, and S. V. Kholondyrev . . 1372 55
Interfacing a Microcomputer and Oscilloscope for Alphanumeric Information Display — O. E. Averchenkov . . . . . 1373 56
Data-Output Device for PL-80 and PL-150 Tape Punches — O. S. Maksumov . . . . . 1377 60
Data Output from an M-4030 Computer to a "Pallada" Phototelegraph Apparatus — S. F. Zagorodnii, A. L. Zaitsev, V. I. Kaevitser, V. P. Sinilo, and L. I. Sinitsina . . . . . 1381 64

Volume 25, Number 6, Part 2 November-December, 1982

ELECTRONICS AND RADIO ENGINEERING

Analyzer of the Probabilistic Characteristics of the Distribution Function of Random Processes — N. M. Komar . . . . . 1384 67
Universal Coincidence Circuit — Yu. A. Novikov . . . . . 1386 69
Pseudorandom Signal Generator — A. M. Vodovozov and V. N. Labichev . . . . . 1390 72
High-Voltage Pulse Generator — A. V. Krivonosenko and B. V. Semkin . . . . . 1391 73
Avalanche-Transistor Voltage-Pulse Generator for Controlling an Electrooptical Shutter — D. I. Maleev . . . . . 1394 75
Pulse Shaper Based on a Unijunction Transistor and Microcircuits — G. A. Kozin . . . . . 1395 76
Square-Pulse Shaper — V. S. Lysyuk, G. D. Mikhailyuk, V. D. Potapov, and N. I. Snychev . . . . . 1397 78
Shape Correction of High-Voltage Pulses by Means of an Inductance and Current Interrupter — E. I. Azarkevich, Yu. A. Kotov, and V. P. Kuznetsov . . . . . 1399 79
Broadband, Push-Pull, Output Amplifier Using MOS Power Transistors — O. A. Frolkov . . . . . 1402 82
Digital-Analog dc Amplifier of the Self-Compensating Type — Ya. N. Aleksevich and M. M. Mel'nik . . . . . 1404 83
Amplifier with Galvanic Transformer Decoupling — V. K. Isaikin and V. N. Cherepanov . . . . . 1406 85
Compensation of the Additive Components of a Signal at the Input to Measurement Amplifiers — Yu. A. Alabuzhev and V. A. Gain . . . . . 1409 87
Compensated Synchronous Integrator — V. V. Brailovskii, O. P. Zhuk, L. O. Tarko, and A. R. Shelyag . . . . . 1410 88
Two-Stage Integrator for an X-Ray Tomograph — E. A. Andreev, S. A. Pshenichnyi, S. P. Sit'ko, M. I. Skopyuk, and V. A. Shevchenko . . . . . 1412 89
Signal-Level Normalizer — D. P. Palyanitsa . . . . . 1414 91
Broadband Drift-Free Quadrator — Yu. A. Kolesnikov and V. S. Laktionov . . . 1418 95
Two-Channel Stroboscopic Attachment for Studying Infrequently Recurring Signals — D. A. Il'in and V. V. Osipov . . . . . 1420 96

ELECTRONICS AND RADIO ENGINEERING

SHF Oscillator with Output Power Control — S. I. Dervishev and B. I. Vichev . . . . . 1423 99
Synthesizer for Stable SHF Oscillations in the Millimeter Range (up to 80 GHz) — V. G. Gol'dort and V. F. Zakhar'yash . . . . . 1425 101
High-Voltage dc Converter — V. A. Baranov, V. I. Makeev, and O. P. Novikov . . . . . 1428 103
Single-Transistor High-Voltage Regulator — V. V. Trifonov and A. N. Gorbachev . . . . . 1430 105

GENERAL EXPERIMENTAL TECHNIQUES

High-Voltage Long-Focus Electron Gun — N. N. Veniaminov, A. K. Kuzakov, and N. G. Rambidi . . . . . 1433 108
Electron Gun with Plasma Emitter Made Up of Vacuum Arcs — S. P. Bugaev, A. I. Klimov, and S. M. Chesnokov . . . . . 1436 110
A 500-kV Vacuum Lead for a High-Current Quasistationary Electron Accelerator with a Heated Cathode — G. N. Antipov, S. V. Rybalov, and V. D. Sarbeev . . . . . 1438 112
Device for Controlling Electrooptical Shutters and Deflectors — V. B. Gurskii, R. E. Pyatetskii, and I. B. Shuleiko . . . . . 1440 114
Resistance Thermometer for Ion-Beam Calorimetry — S. N. Dolya, V. A. Sviridov, and V. P. Tokarskii . . . . . 1443 117
Instrument for Examining the Polarization of Low-Energy Electrons Interacting with a Solid — I. A. Pchelkin and G. K. Zyryanov . . . . . 1446 119
Electron-Optical Recording of Nonstationary Adsorption on a Metal Surface — V. I. Zhavoronkov, S. P. Manokhin, A. A. Antonov, V. V. Vedernikov, and B. V. Filippov . . . . . 1447 120

High-Voltage Limit of Counting-Response Plateau of One-Electron Photomultipliers — S. S. Vetokhin, I. R. Gulakov, and Yu. V. Pislyak . . . . . 1451 123
Measurement of Light Intensity by Counting One-Electron Photomultiplier Pulses — S. A. Mishin . . . . . 1453 125
Estimate of the Parameters of Photomultipliers Operating in the Photon-Counting Regime — L. V. Granitskii, N. I. Bukach, L. I. Andreeva, Z. M. Semichastnova, and B. M. Stepanov . . . . . 1456 127
A Secondary-Ion Mass-Spectrometer System with High Depth Resolution — V. V. Yagzhev and V. V. Marusin . . . . . 1458 129
Ion-Beam Scanning Circuit for the MI-1305 Mass Spectrometer — N. N. Korobkov, O. P. Ninburg, and P. G. Umantsev . . . . . 1462 133
Recording Linear Dichroism Spectra with the **Spectropol-1** Spectropolarimeter — A. S. Prishchepov . . . . . 1464 134
Reflex Diffraction Grating — an Effective Transducer of Infrared Radiation Polarization — A. N. Bobrovskii and G. D. Myl'nikov . . . . . 1466 136
Apparatus for Measurement of Amplitude–Frequency and Phase–Frequency Characteristics of Infrared Phototransducers in the 1 MHz to 1 GHz Frequency Range — P. V. Biryulin and M. I. **Volubuev** . . . . . 1468 138
Accurate Method of Measuring the Temperature Dependence of the Reflectance of Metal Mirror Surfaces — V. P. Andronov, V. L. Okulov and V. P. Savel'eva . . . . . 1470 140
Small-Size $CO_2$ Laser with Transverse High-Frequency Excitation — Sh. Kh. Zakirov, A. T. Mirzaev, A. A. Sipailo, V. A. Stepanov, and M. Sh. Sharakhimov . . . . . 1473 143
Thyratron-Thyristor Pulse Generator for a Metal-Vapor Laser — S. P. Dashuk and S. E. Potapov . . . . . 1476 145
LAS-02 Laser Dispersed-Phase **Photoelectric Analyzer**— Yu. V. Zhulanov, P. Yu. Makaveev, O. N. Nikitin, I. A. Nevskii, and V. V. Vetrov . . . . 1478 147
Metrological Features of a Laser Device with a Single-Mirror Deflecting Unit — A. A. Ivanov, G. M. Maksimov, and Yu. S. Nechaev . . . . . 1482 151
Superconducting Solenoid for an ESR Spectrometer — V. I. Kurochkin, A. Ya. Laptienko, N. V. Taryanik, **V. V. Sukhoi, and V. V. Shaparenko** . . . 1485 154
Pulsed Strain-Gauge System — L. S. Poleshchuk . . . . . 1487 156
Apparatus for Measuring the Velocity of Acoustic Waves in Solids — A. I. Korobov, Yu. A. Brazhkin, and S. G. Buga . . . . . 1490 158
512-Channel X-Ray **DARK**-2.0 Diffractometer with a Mosaic Detector for Investigating Protein Single Crystals — B. K. Vainshtein, N. I. Komyak, F. P. Reznikov, D. A. Goganov, D. M. Kheiker, A. V. Mirenskii, A. Z. Pliss, O. I. Ageev, and V. M. Shul'meister . . . . 1492 160
Multifilament Counter with a 5% Energy Resolution for 5.9 KeV Photons — V. D. Peskov and E. R. Podolyak . . . . . 1498 165
High-Frequency Power Transistor as a Pulsed X-Ray Detector — V. V. Zykov and V. V. Sil'vestrov . . . . . 1502 168
Measurement of the Integrated Reflection Coefficients of Gypsum, Quartz, and Mica Crystals for Soft X Rays — A. L. Zapysov, I. M. Izrailev, V. A. Podgornov, and N. A. Kharvonin . . . . . 1504 170
Reconstruction of the Shape of Small Particles — S. A. Nepiiko and A. P. Ostranitsa . . . . . 1507 172
Apparatus for **Probing Electric Fields in Dielectric Films by the Albedo Method** — O. V. Andreev, Yu. I. Sapozhkov, O. B. Evdokimov, B. A. Kononov, and N. I. Yagushkin . . . . . 1510 175
Apparatus for the Investigation of Deep Level Parameters in Semiconductors — V. B. Barbov, L. V. Lebedeva, and I. A. Fomin . . . . . 1513 178

LABORATORY TECHNIQUE

Automatic Measuring-Limit Selector — V. É. Arutyunov, Ch. O. Kadzhar, and É. Yu. Salaev . . . . . 1518 182
Spark-Discharge Energy Meter — S. K. Gil' and E. N. Dolgov . . . . . 1520 184
Spectropolarimeter with Electromechanical Compensation — A. A. Leksikov, Yu. M. Fedorov, and A. E. Aksenov . . . . . 1522 186
Spring-Loaded Parallelogram for the Scanning Mirror of a Low-Resolution Fourier Spectrometer — A. I. Andreev, V. V. Arkhipov, and and G. G. Gorbunov . . . . . 1524 187

Instrument for Automatic Determination of the Direction of the Velocity Vector of a Moving Medium — P. I. Savostenko and V. I. Tumanov . . . . . 1527 190
Deformationless Cutting of Tungsten Single Crystals — A. Yu. Dudkin, I. V. Matveev, and S. M. Cheremisin . . . . . 1530 193